

Fig. 1

Screen layout:

Provisioning Tool

Please Login

User Name: 202

Password: 204

Login Cancel 206

Fig. 2

Screen layout:

Operator Provisioning Tool

List of Active Companies: 302 308 310

Add Company 312 304 306 View Deactivated Companies

Company Name	Internal ID	IT Admin	Services	Active	Date	Time				
Accenture	123445	accenture	MIS	Active	4/17/2002	11:27:46 AM	<input checked="" type="checkbox"/>	gr	/	X
FlexiT	432412	alexw	MIS	Active	7/17/2002	3:17:18 PM	<input checked="" type="checkbox"/>	gr	/	X
Asterix	834124	asterix	MIS	Active	4/19/2002	12:00:13 PM	<input checked="" type="checkbox"/>	gr	/	X
Company	324343	company	MIS	Active	7/24/2002	5:01:20 PM	<input checked="" type="checkbox"/>	gr	/	X
Avanade	93434	salm	SYN	Active	4/15/2002	12:13:54 AM	<input checked="" type="checkbox"/>	gr	/	X

Page 1 2 >

Fig. 3

Screen layout:

The screenshot shows a software interface titled "Operator Provisioning Tool". In the top right corner, there are "Home" and "Contact" links. The main area displays a list titled "List of Deactivated Companies" with four entries: "302", "304", "306", and "308". A link "View Active Companies" is located to the right of the list. Below the list is a table with two rows of data. The columns are labeled "Company Name", "Internal ID", "IT Admin", and "Services". The first row contains "Asterix" and "834124" in the "Internal ID" field. The second row contains "Company" and "324343" in the "Internal ID" field. The "IT Admin" column shows "asterix" and "company" respectively. The "Services" column shows "Inactive" and "MIS". The last two columns show dates and times: "7/24/2002 5:06:56 PM" and "7/24/2002 5:07:01 PM". There are checkboxes in the last two columns, both of which are checked. Handwritten annotations include the number "400" with an arrow pointing to the "Contact" link, and the numbers "402" and "408" with arrows pointing to the company names "302" and "308" respectively.

Company Name	Internal ID	IT Admin	Services		
Asterix	834124	asterix	Inactive MIS	7/24/2002 5:06:56 PM	<input checked="" type="checkbox"/> Go
Company	324343	company	Inactive MIS	7/24/2002 5:07:01 PM	<input checked="" type="checkbox"/> Go


Fig. 4

Screen layout:

The screenshot shows a software interface titled "Operator Provisioning Tool". In the top right corner, there are "Home" and "Contact" links. The main area displays a form titled "Add Company:". The "Company Info" section contains fields for "Name of Company" (labeled 502) and "Internal ID" (labeled 504, with a note "(i.e. 123456)". The "IT Administration" section contains fields for "User Name" (labeled 506), "First Name" (labeled 508), and "Last Name" (labeled 510). The "Exchange" section contains fields for "Exchange Server" (labeled 512, with a note "(i.e. mail)", "Domain" (labeled 514, with a note "(i.e. asterix.com)"), and "Port" (labeled 516). At the bottom left are "Next" and "Cancel" buttons, with handwritten annotations "518" and "520" next to them. Handwritten annotations include the number "500" with an arrow pointing to the "Contact" link, and the numbers "502", "504", "506", "508", "510", "512", "514", and "516" with arrows pointing to their respective input fields.

Fig. 5

Screen layout:



Operator Provisioning Tool

Business Services 602

Code	Service Name
MIS	MIS Sync
SAP	SAP Connector
SYN	Synchrologic


Business Service Host: 604
 Host Name: 606
 Port: 608
 Mean Speed: 610
 Peak Speed: 612
 Scheme: 614
 Concurrent: 616

Next 618 Cancel 620

600

Fig. 6

Screen layout:



Operator Provisioning Tool

You are about to save the following company:

Company Info

Company Name:	Test Company
Internal ID:	342332
Exchange Server:	mail
Domain:	company.com

IT Administration

User Name:	tests
First Name of ITAdmin:	Test
Last Name of ITAdmin:	User

Services to be activated

MIS Sync:	<input checked="" type="checkbox"/>
Business Service Host:	A
Host Name:	192.168.100.28
Port:	80
Mean Speed:	20
Peak Speed:	50
Scheme:	PLAIN
Concurrent:	5

Save 704 Cancel 704

700

Fig. 7

Screen layout:

Operator Provisioning Tool

Add Company:

Company Info

Company Name:	Asterix	512
Internal ID:	324342	
Exchange Server:	mail	514
Domain:	company.com	

IT Administrator

Exchange Server:	testu	506
Domain:	Test	508
Domain:	User	510

Services

MIS	Active	604
Business Service Host:	A	606
Host Name:	192.168.100.25	608
Port:	3333	
Mean Speed:	20	610
Peak Speed:	50	612
Scheme:	PLAIN	614
Concurrent:	10	614

Buttons: Next, Cancel, Add Service, Inactivate Service

800

Fig. 8

Screen layout:

Operator Provisioning Tool

Edit Company

Company Info

Company Name:	Asterix	902
Internal ID:	324342	
Exchange Server:	mail	904
Domain:	company.com	

IT Administration

User Name:	tests	906
First Name:	Test	
Last Name:	User	

Services

MIS Synchronization	Active	
Business Service Host:	A	
Host Name:	192.168.100.28	
Port:	3333	
Mean Speed:	20	
Peak Speed:	50	
Scheme:	PLAIN	
Concurrent:	5	

Buttons: Back

900

Fig. 9

Screen layout:

Operator Provisioning Tool

Deactivate Company

Company Name: Asterix
Internal ID: 834124

Deactivate **Cancel**

1002 1004

Fig. 10

Screen layout:

Operator Provisioning Tool

Deactivate Company

The following Business Service Connectors must be deactivated first:

Name	MSISDN	Service	Status
Climenson, Ernie	0643213123	MIS	ACT
Crabtree, Sally	0623443241	MIS	ACT
DT, NR	0622517796	MIS	PEN
Kerns, Chris	0612331413	MIS	ACT
Laiji, Aly	0623443234	MIS	ACT
Martin, Andrew	0006255007	MIS	ACT
Sherwin, John	0643113213	MIS	ACT
Smid, Erik	0620224676	MIS	ACT
Team, Dedicated	0613912312	MIS	ACT

Back 1102 1104 1106 1108
1110

Fig. 11

Screen layout:

Operator Provisioning Tool

Activate Company

Company Name: Asterix
 Internal ID: 834124

Activate Cancel

1202 1204

1200

Screen layout:

Operator Provisioning Tool

1308

Authorized Users 1310

Add User Export 1306

1302 1304 1312

User Name	Full Name	Security Group	Company			
CRM	Account for CRM Team	CRM Operator	CRM			
ernieC	Ernie Climenson	Customer User	Asterix			
god	Administrator	CRM Supervisor	CRM			
johnd	John Digweed	Customer User	Company			
testu	Test Account	CRM Operator	CRM			

Field: User Name ▼ Criteria: Search View Blocked Users

Page 1 2 ▶

1300

Fig. 12

Fig. 13

Screen layout:

Operator Provisioning Tool

Blocked Users

User Name	Full Name	Security Group	Company
CRM	Account for CRM Team	CRM Operator	CRM
erniec	Ernie Climension	Customer User	Asterix
johnd	John Digweek	Customer User	Company
testu	Test Account	CRM Operator	CRM
warrenb	Warren Baker	Customer User	CRM

Page 1 2 >

1400

Fig. 14

Screen layout:

Operator Provisioning Tool

Add Authorized User

User Information:

User Name:	1502
First Name:	1504
Last Name:	1506
Description:	1508
Password:	1510
Confirm Password:	1512
Security Group:	Customer User
Customer:	Asterix

Next Cancel

1500

Fig. 15

Screen layout:

SMCL

Operator Provisioning Tool

You are about to save the following User:

User Information:


User Name:	erniec
First Name:	Ernie
Last Name:	Climenson
Description:	Test Asterix Account

Member of:
 Customer Users

Customer:
Asterix

Save Cancel

1602 1604



1600

Fig. 16

Screen layout:

SMCL

Operator Provisioning Tool

Edit Authorized User


User Information:

User Name:	erniec
Member of:	Customer Users
Customer:	Asterix
First Name:	Ernie
Last Name:	Climenson
Description:	Test Account

Next Cancel Reset Pass

1702 1704 1706

1710 1708



1700

Fig. 17

Screen layout:

SMCL

Operator Provisioning Tool

Home Contact

You are about to delete the following User:

User Information:

User Name:	erniec
First Name:	Ernie
Last Name:	Climenson
Description:	Test Asterix Account
Security Group:	Customer User
Company:	Asterix

1804 1806

1800

1802

1804 1806

Fig. 18

Screen layout:

SMCL

Operator Provisioning Tool

Home Contact

You are about to block the following User:

User Information:

User Name:	erniec
First Name:	Ernie
Last Name:	Climenson
Description:	Test Asterix Account

Member of:
 Customer Users

Customer:
Asterix

1904 1906

1900

1902

1904 1906

Fig. 19

Screen layout:

SMCL

Operator Provisioning Tool

Home Contact

You are about to Unblock the following User:

User Information:

User Name:	Erniec
First Name:	Ernie
Last Name:	Climerson
Description:	Test Asterix Account

Member of:

Customer Users

Customer:

Asterix

Unblock Cancel

2000 2002 2004 2006

Fig. 20

Screen layout:

SMCL

Operator Provisioning Tool

Home Contact

Services

Add Service 2104 2102 2106 View Inactive Business Services

Service Name	Service Type	Service #	Gateway Address	Gr	O	X
MIS Synchronization	PIM	21323	mis.asterix.com	Gr	O	X
Synchrologic	PIM	12042	syn.asterix.com	Gr	O	X

Add Service

Fig. 21

Screen layout:

Operator Provisioning Tool

Add Service

General Service Type: 2204

Service Code: 2202

Service Number: 2206

Service Name: 2208
(i.e. SYN)
(i.e. 55555)
(i.e. Synchrologic)
(i.e. syn.asterix.com)

Gateway Address: 2210

Description: 2212

Next Cancel

2214 2216

2200

Fig. 22

Screen layout:

Operator Provisioning Tool

Edit Service

Service Code: 2204

General Service Type: 2202

Service Number: 2206

Service Name: 2208
(i.e. SYN)
(i.e. 55555)
(i.e. Synchrologic)
(i.e. syn.asterix.com)

Gateway Address: 2210

Description: 2212

Next Cancel

2302 2304

2300

Fig. 23

Screen layout:

Operator Provisioning Tool

Deactivate Service

Service Code: MIS
 General Service Type: PIM
 Service Number: 21323
 Service Name: MIS Synchronization
 Gateway Address: mis.asterbx.com
 Description: This is a test service

Deactivate Cancel

2402 2404

2400

Screen layout:

Operator Provisioning Tool

Delete Service

The following Business Service Connectors must be deactivated first:

Name	MSISDN	Company	Service	Status
Climenson, Ernie	0643213123	Accenture	MIS	ACT
Crabtree, Sally	0623443241	Accenture	MIS	ACT
DT, NR	0622517796	Accenture	MIS	PEN
Kerns, Chris	0612331413	Accenture	MIS	ACT
Laiji, Aly	0623443234	Accenture	MIS	ACT
Martin, Andrew	0006255007	Accenture	MIS	ACT
Sherwin, John	0643113213	Accenture	MIS	ACT
Smid, Erik	0620224676	Accenture	MIS	ACT
Team, Dedicated	0613912312	Accenture	MIS	ACT

The following Business Services must be deactivated first:

Company	Internal ID	Service	Status
Accenture	123445	MIS	ACT
Company	324343	MIS	ACT
Test Company	224324	MIS	ACT

Back 2506 2504 2502

2500

Fig. 25

Screen layout:

The screenshot shows the "IT Administrator Provisioning Tool" interface. The title bar says "IT Administrator Provisioning Tool" and "2618". Below it is a navigation menu with links like "Home", "Contact", "Add User", and "Export". A search bar with dropdown options for "Field: User Name" and "Criteria" is followed by a "Search" button and a "View Inactive Users" link. The main area displays a table of active users:

Name	Mobile Number	Service(s)	Status	Date	Actions
Breebaart, Koert	0622948705	MIS Synchronization	Active	7/25/2002 12:34:33 PM	<input checked="" type="checkbox"/> <input type="radio"/> <input type="checkbox"/> <input type="checkbox"/>
Climenson, Ernie	0343243243	MIS Synchronization	Active	7/25/2002 12:34:36 PM	<input checked="" type="checkbox"/> <input type="radio"/> <input type="checkbox"/> <input type="checkbox"/>
Breebaart, Koert	0612345678	MIS Synchronization	Active	7/25/2002 12:34:41 PM	<input checked="" type="checkbox"/> <input type="radio"/> <input type="checkbox"/> <input type="checkbox"/>
Breebaart, Koert	0612345679	MIS Synchronization	Active	7/25/2002 12:34:48 PM	<input checked="" type="checkbox"/> <input type="radio"/> <input type="checkbox"/> <input type="checkbox"/>
Breebaart, Koert	0634123123	MIS Synchronization	Active	7/25/2002 12:34:56 PM	<input checked="" type="checkbox"/> <input type="radio"/> <input type="checkbox"/> <input type="checkbox"/>

Handwritten annotations with numbers 2600, 2602, 2604, 2606, 2608, 2610, 2612, 2614, and 2616 are present, pointing to various UI elements and table rows.

Fig. 26

Screen layout:

The screenshot shows the "Operator Provisioning Tool" interface. The title bar says "Operator Provisioning Tool" and "2700". Below it is a navigation menu with links like "Home", "Contact", "Search", "Excel", and "View Active Users". A search bar with dropdown options for "Field: Last Name" and "Criteria" is followed by a "Search" button and a "View Active Users" link. The main area displays a table of inactive users:

Name	Mobile Number	Service(s)	Status	Date	Actions
Manniak, Jacobine	0612345679	MIS Synchronization	Inactive	7/25/2002 2:38:10 PM	<input checked="" type="checkbox"/> <input type="radio"/> <input type="checkbox"/> <input type="checkbox"/>
Team 1, Dedicated	0612345467	MIS Synchronization	Inactive	7/25/2002 12:34:36 PM	<input checked="" type="checkbox"/> <input type="radio"/> <input type="checkbox"/> <input type="checkbox"/>
User, TEST	0342342343	MIS Synchronization	Inactive	7/25/2002 12:34:41 PM	<input checked="" type="checkbox"/> <input type="radio"/> <input type="checkbox"/> <input type="checkbox"/>

Handwritten annotations with numbers 2700, 2702, 2704, 2710, 2708, and 2706 are present, pointing to various UI elements and table rows.

Fig. 27

Screen layout:

SMCL

Operator Provisioning Tool

Home Contact

Add User

User Information:

First Name: 2802
Middle Name: 2804
Last Name: 2806
MSISDN: (I.e. 0612345678) 2808

Company: Accenture
Internal ID: 123445 2810

Exchange Mailbox: (I.e. John Doe)
Exchange Domain: dude.local 2812

Next Cancel 2814 2816

Fig. 28

Screen layout:

SMCL

Operator Provisioning Tool

Home Contact

Add User Services

Services Available:
MIS Synchronization
Subscribe? Yes No 2902

Next Cancel 2904
2906 2908

Fig. 29

Screen layout:

SMCL

Operator Provisioning Tool

You are about to save the following user:

User Info

First Name:	Ernie
Middle Name:	
Last Name:	Climenson
MSISDN:	3422343243
Search Field:	IT Dept

Company: Accenture
Internal ID: 123445

Exchange Mailbox: erniec
Exchange Domain: dude.local

Services

MIS Synchronization Yes

Save Edit Cancel

3002 3004 3006

3000

Screen layout:

SMCL

IT Administrator Provisioning Tool

Deactivate End-User

User Name: Breebaard, Koert
Mobile Number: 0622948705

Deactivate Cancel

3102 3104

3100

Fig. 31

Screen layout:




Fig. 32

Screen layout:




Fig. 33

Screen layout:




Fig. 34

Screen layout:




Fig. 35




Fig. 36




Fig. 37

Name	Size	Type
02_Setup.exe	220 KB	Application
Setup.ini	1 KB	Configuration Settings
SQL_CE.MIPS_4000.CAB	1,737 KB	WinZip File
SQL_CE.SA1100.CAB	1,474 KB	WinZip File
SQL_CE.SH3.CAB	1,337 KB	WinZip File
SQL_CE.x86EM.CAB	973 KB	WinZip File

3800 →
 3802 →

Fig. 38

3700

Pocket PC Device Configuration	
User Name:	Service Address:
Doe, John	mis.asterix.com
Mailbox:	Exchange Domain:
johnd	company.net
Applications to be installed	
SQL Server CE Office Switchboard Connections Settings SSL Update	Status Current Application SQL Server CE Downloading Install Files from Internet This may take a couple of minutes
<input type="button" value="Configure Doe, John"/> <input type="button" value="PPC Install X"/>	

Fig. 39

3702 3700

Pocket PC Device Configuration	
User Name:	Service Address:
Doe, John	mis.asterix.com
Mailbox:	Exchange Domain:
johnd	company.net
Applications to be installed	
SQL Server CE Office Switchboard Connections Settings SSL Update	Status Current Application Offline Switchboard Copying Install Files to Device
<input type="button" value="Configure Doe, John"/> <input type="button" value="PPC Install X"/>	

Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45

Screen layout:




Fig. 46

Screen layout:




Fig. 47

Screen layout:




Fig. 48

Screen layout:




Fig. 49




Fig. 50




Fig. 51




Fig. 52